

2011 WORC Publications

- **Harris IA, Young J, Rae H, Jalaludin B, Solomon M.**
The fate of the syndesmosis in type C ankle fractures: a cadaveric Study.
Injury, 1997;28 (4):275-7. IF=0.919
Predictors of neck pain after motor vehicle collisions: a prospective survey
Journal of Orthopaedic Surgery, 2011;19(3):317-21
- **Ansari U, Adie S, Harris IA, Naylor JM**
Practice variation in common fracture presentations: a survey of orthopaedic surgeons
Injury, 2011;42(4):403-7.
- **Campbell R, Deva A, O'Carrigan T, Harris IA**
Aggressive management of tibial osteomyelitis shows good functional outcomes.
ePlasty, 2011;11:18-27.
- **Naylor JM, Ko V, Mittal R, Harris IA, Adie S, Heard R, Yeo A, McEvoy L**
Is discharge knee range of motion a useful and relevant clinical indicator after total knee replacement? Part 1
Journal of Evaluation in Clinical Practice. DOI:10.1111/j.1365-2753.2011.01655.x.
- **Naylor JM, Ko V, Mittal R, Harris IA, Adie S, Heard R, Yeo A, McEvoy L.**
Is discharge knee range of motion a useful and relevant clinical indicator after total knee replacement? Part 2
Journal of Evaluation in Clinical Practice. DOI:10.1111/j.1365-2753.2011.01656.x.
- **So S, Harris IA, Naylor JM, Adie S, Mittal R**
The correlation between metal allergy and ankle outcomes after ankle fracture fixation surgery
Journal of Orthopaedic Surgery, 2011;19(3):309-13.
- **Adie S, Harris IA, Naylor JM, Rae, H, Dao A, Yong S, Ying V.**
Pulsed electromagnetic field stimulation for acute tibial shaft fractures: A multi-centre, double-blind, randomized trial
Journal of Bone and Joint Surgery (Am), 2011;93(17):1569-76.
- **Wernecke G, Macdcessi S, Harris IA, Houang M, Seeto B, Chen D.**
Using MRI to Predict Adequate Graft Diameters for Autologous Hamstring Double Bundle Anterior Cruciate Ligament Reconstruction
Arthroscopy: The Journal of Arthroscopic and Related Surgery. 2011;27(8):1055-9
- **Naylor JM, Ko V, Adie S, Gaskin C, Walker R, Harris IA, Mittal R.**
Validity and reliability of using photography for measuring knee range of motion: a methodological study.
BMC Musculoskeletal Diseases, 2011;12:77.
- **Naylor JM, Mittal R, Greenfield D, Milne J, Ko V, Adie S, Harris IA**
Scope for a 'one size fits all' rehabilitation approach after knee replacement? Heterogeneity in patient preferences makes this unlikely
International Journal of Person-Centered Medicine. 2011;1(2):254-9
- **Wernecke G, Harris IA, Seeto B, Chen D, Houang M, Macdcessi S.**
A comparison of tibial bone coverage amongst six modern total knee arthroplasties: an MRI analysis with controlled component rotation.
Journal of Orthopaedic Surgery. Accepted 6 Sept 2011, Manuscript No JOA1356
- **Naylor JM, Harris IA, Ko V, Mittal R, Yeo AT.**
Improvements in knee range and symptomatic and functional behaviour after knee arthroplasty based on pre-operative restriction in range
Journal of Arthroplasty, Accepted 15 Sept 2011 Manuscript number: 11-0366UR1
- **Adie S, Harris IA, Naylor JM, Mittal R, Dao A.**
Satisfaction with joint replacement in public vs private hospitals: a cohort study.
ANZ J Surg, MS ANS-2011-00463.R1, accepted 11 Oct 2011.
- **Mittal R, Adie S, Harris IA, Naylor JM, Ko V, Dave J, Dave C, Dietsch S, Hackett D, Ngo D.**
Tourniquet use during cementing in total knee arthroplasty: a randomised trial.
ANZ J Surg, ANS-2011-00662.R1, Accepted 11 Oct 2011.
- **Harris IA, Dantanarayana, N.**
Spine surgery outcomes in a workers' compensation cohort.
ANZ J Surg, accepted Dec 2011