

## 2019 Publications

Macdessi S, Harris IA

Does soft tissue balancing using intra-operative pressure sensors improve clinical outcomes in total knee arthroplasty? A protocol of a multi-centre randomised controlled trial

*BMJ Open*, accepted 15 March 2019 bmjopen-2018-027812.R1

Downie A, Hancock M, Jenkins H, Buchbinder R, Harris I, Underwood M, Goergon S, Maher CG.

How common is imaging for low back pain in primary and emergency care? Systematic review and meta-analysis of over 4 million imaging requests across 21 years *Br J Sports Med* 2019, doi: 10.1136/bjsports-2018-100087

Macdessi S, Gharaibeh M, Harris IA

How Accurately Can Soft Tissue Balance Be Determined in Total Knee Arthroplasty? *J Arthroplasty* 2019;34:290-4. DOI: [10.1016/j.arth.2018.10.003](https://doi.org/10.1016/j.arth.2018.10.003)

Harris IA, Cuthbert A, de Steiger R, Graves S

Practice variation in total hip arthroplasty versus hemi-arthroplasty for fractured neck of femur in Australia. *Bone Jt J* 2019;101B:92-95

Buchbinder R, Bourne A, Maher C, Latimer J, Harris IA, Clavisi O, Green S, Whittle S, Richards B, March L, Billot L, Taylor W, Hinman R, Day R, Ferriera M

Early development of the Australia & New Zealand Musculoskeletal (ANZMUSC) Clinical Trials Network. *Internal Medicine Journal* 2019, Accepted manuscript doi.org/10.1111/imj.14191

Harris IA, Hatton A, Pratt N, Lorimer M, Naylor JM, de Steiger R, Lewis P, Graves SE

How Does Mortality Risk Change Over Time After Hip and Knee Arthroplasty? *Clin Orthop Relat Res* 2019;477:1414-1421

Bell K, Doust J, Glasziou P, Cullen L, Harris IA, Smith L, Buchbinder R, Barrat A

Recognizing potential for overdiagnosis: are high sensitivity cardiac troponin assays an example?

*Annals of Internal Medicine* 2019 doi: 10.7326/M18-2645

Heo SM, Naylor JM, Harris IA, Churches TR

Reliability of patient-reported complications following hip or knee arthroplasty procedures *BMC Medical Research Methodology* Accepted 2019;19:15

Anderson DB, Ferriera M, Harris IA, Davis GA, Stanford R, Beard D, LiQ, Jan S, Mobbs, RA, Maher CG, Yong R, Zammit T, Latimer J, Buchbinder R.

SUcceSS: Surgery for Spinal Stenosis – protocol of a randomised, placebo-controlled trial

*BMJ Open* 2019;9:e024944. doi:10.1136/ bmjopen-2018-024944

McCrabb S, Baker AL, Attia J, Balogh ZJ, Lott N, Palazzi K, Naylor J, Harris IA, Doran CM, George J, Wolfenden L, Skelton E, Bonevski B.

Comorbid tobacco and other substance use and symptoms of anxiety and depression among hospitalised orthopaedic trauma patients *BMC Psychiatry*, 2019;19:28

Ferguson I, Milligan J, Buttfield A, Shepherd S, Burns B, Reid C, Harris I  
FentAnyl or placebo with KeTamine for emergency department rapid sequence intubation: The FAKT study protocol. *Anaesthesiologica Scandinavica* 2019;1-7, DOI: 10.1111/aas.13309

Adie S, Harris IA, Chuan A, Lewis P, Naylor JM  
Selecting and optimising patients for total knee arthroplasty  
*Med J Aust* 2019;210(3):135-142. doi: 10.5694/mja2.12109

Sharma S, Harris IA, Maher CG  
The need for randomized trials to support procedural interventions (letter). *JAMA* 2019, accepted 18 February 2019

Harris IA, Cuthbert A, Lorimer M, de Steiger R, Lewis P, Graves S.  
Outcomes of hip and knee replacement surgery in private and public hospitals in Australia.  
*ANZ J Surg* 2019. DOI:10.1111/ans.15154

Buhagiar M, Harris IA, Xuan W, Adie S, Lewin A, Naylor JM.  
Inpatient or clinic-based versus home-based rehabilitation following total knee arthroplasty: A systematic review and meta-analysis of randomized trials. *JAMA Network Open* 2019. Accepted 6 March 2019 JNO18-2493R

Kerr D, Read A, Butler S, Harris IA  
Does the form of venous thromboembolism prophylaxis following primary total knee arthroplasty alter the rate of early reoperation or revision surgery. *ANZ J Surg*, accepted 14 April 2019, doi: 10.1111/ans.15296

Harris IA  
Enforcing standards for systematic reviews (letter).  
*Injury* 2019, Accepted 22 April 2019. Published online 23 April 2019. DOI: 10.1016/j.injury.2019.04.023 JINJ-D-18-01407

Macedessi S, Thompson K, Chen D, Griffiths-Jones W, Wood J, Harris IA  
Interobserver Agreement of Sensor-Derived Compartmental Pressure Measurements in Computer-Assisted Total Knee Arthroplasty.  
*J Arthroplasty* 2019, Accepted 26 April 2019. JOA-D-19-00567

Anderson D, Davis G, Ferriera M, Buchbinder R, Mobbs R, Machado G, Meyer E, Harris IA, Eyles J.  
Barriers to participation in a placebo-surgical trial for lumbar spinal stenosis  
2019, HELIYON\_2018\_3136\_R3

Harris IA, Giannoudis P.  
How much can we trust the literature?  
*Injury* 2019, doi: <https://doi.org/10.1016/j.injury.2019.06.017>

Tan A, Armstrong E, Close J, Harris IA.  
Data quality audit of a clinical quality registry: A generic framework and case study of the

Australian and New Zealand Hip Fracture Registry  
*BMJ Open Quality* 2019;8:e000490. doi: 10.1136/bmjopen-2018-000490,  
<http://bmjopenquality.bmj.com/cgi/content/full/bmjopen-2018-000490>

Wu J, Vratisistas-Curto A, Shiner C, Faux SG, Harris IA, Poulos CJ.  
Can in-reach multidisciplinary rehabilitation on the acute ward improve outcomes for critical care survivors? A pilot randomised controlled trial.  
*J Rehabil Med* 2019, accepted July

van de Graaf V, Harris IA, Poolman R.  
Can even experienced orthopaedic surgeons predict who will benefit from surgery in treatment in patients with degenerative meniscal tears? A survey of 194 orthopaedic surgeons who made 3880 predictions.  
*Br J Sports Med* 2019, bjsports-2019-100567.R2 – accepted 8 July 2019

Mitchell R, Pulido D, Ryder T, Norton G, Brodarty H, Close J, Draper B, Rapport F, Lystad R, Harris IA, Sherrington C, Harvey L, Cameron I, Braithwaite J.  
Access to rehabilitation services for older adults living with dementia or in a residential aged care facility following a hip fracture: healthcare professionals' views. *Disability and Rehabilitation*, 2019, doi 10.1080/09638288.2019.1643418

Sidhu V, Harris IA  
Aspirin as VTE prophylaxis post total hip and knee arthroplasty (Editorial) *ANZ J Surg* 2019, Accepted 12 July 2019, ANS-2019-00747

Khatib Y, Sorial R, Naylor JM, Harris IA  
Different targets of mechanical alignment do not improve knee outcomes after TKA  
*The Knee*, 2019;26:1395-1402

Chuan A et al  
The effect of a multidisciplinary care bundle on the incidence of delirium after hip fracture surgery: a quality improvement study  
*Anesthesia* 2019;75:63-71

Maher CG, O'Keeffe M, Buchbinder R, Harris I  
Musculoskeletal healthcare: have we over-egged the pudding? (Editorial)  
*Int J Rheum Dis* 2019;22:1957-60

Constantin H, Le M, de Steiger R, Harris IA  
Operation rate is more than double revision rate for periprosthetic femur fractures – a multicentre retrospective observational study  
*ANZ J Surg* 2019;89:1647-51

Dan M, Phillips A, Johnston RV, Harris IA  
Surgery for patellar tendinopathy (jumper's knee).  
*Cochrane Database Syst Rev* 2019;9:CD013034

Zadro J, Farey J, Harris IA, Maher CG  
Do Choosing Wisely recommendations about low-value care target income-generating treatments provided by members? A content analysis of 1293 recommendations  
*BMC Health Serv Res* 2019;19:707 doi:10.1186/s12913-019-4576-1

Xue D, Churches T, Naylor J, Mittal R, Armstrong E, Harris IA

Interpreter proxy versus healthcare interpreter for administration of patient surveys following arthroplasty: a pilot study  
*BMC Medical Research Methodology* 2019;19:206

Sidhu V, Graves SE, Buchbinder R, Naylor JM, Pratt NL, de Steiger RS, Chong BH, Ackerman IN, Adie S, Harris A, Hansen A, Cripps M, Lorimer M, Webb S, Clavisi O, Griffith EC, Anandan D, O'Donohue G, Kelly T-L, Harris IA

CRISTAL: protocol for a cluster randomised, crossover, non-inferiority trial of aspirin compared to low molecular weight heparin for venous thromboembolism prophylaxis in hip or knee arthroplasty, a registry nested study  
*BMJ Open* 2019;9:e031657